

Deep Cycle Power – for demanding applications.



GC12V



426G

GC15

Key Features and Benefits of the Deka Pro Master Battery

- Power for a wide variety of applications, including personnel carrier, aerial lift, electric vehicle, golf car, boat, RV, floor scrubber, road sign, or any other application that requires deep cycle power.
 - Innovative heavy-duty grids, plates with higher density oxide, and improved glass mat envelope separators.
 - Longer life cycles and superior cycle life performance.
 - Extremely durable polypropylene case.
 - User friendly twist-and-release vent caps.
 - Convenient lifting handle.
- 
- With more than 300 quality control checks, Pro Master is a battery you will rely on.

PRO MASTER Batteries

FEATURES	BENEFITS
• High density oxide paste...	• Produces more energy per pound.
• Integrated "twist-and-release" vent cap "quick fill" system...	• Releases vent caps in single motion design, making maintenance a easier.
• Ergonomic lift handles...	• Reduce the risk of slippage. Designed for easier installation.
• Heavier grids and plates...	• Provide longer cycle life, better added value.
• Thicker plate straps...	• Lowers resistance, delivers better performance, longer life.
• Heavy-duty, bulge-resistant material...	• Stabilizes and protects the groups with polypropylene casing. Resists bulging.
• Through-partition connectors...	• Decrease internal resistance, increasing power.
• Computer-controlled production...	• Assures that grid casting, plate pasting, curing, and formation meet rigid quality specifications.
• Glass mat, dual-insulation, "deep pocket" envelope separators...	• Protect plates and locks active material to the grid to retard shedding and prevent shorts. Glass fibers strengthen plate.
• Dual terminals...	• Virtually fit almost any application.
• Over 300 quality control checks...	• Assure the highest quality.


PART NO.	20 AH CAPACITY	5 AH CAPACITY	MINS. DISCHARGED			VOLTS	QTS. (LITERS) OF ACID	APPROXIMATE WEIGHT lbs. (kgs.)		MAXIMUM OVERALL DIMENSIONS inches (mm)			FOOTNOTES
			@ 75 AMPS	@ 56 AMPS	@ 25 AMPS			WET	DRY	L	W	H	
GOLF CAR													
GC10	215	157	105	—	395	6	—	60.5 (27.4)	—	10¼ (260)	7½ (181)	10½ (276)	11,36,U
GC15	230	174	120	—	448	6	—	64 (29.0)	44 (20.0)	10¼ (260)	7½ (181)	10½ (276)	4,11,30,36,U
GC25	235	188	132	—	488	6	—	68 (30.8)	—	10¼ (260)	7½ (181)	10½ (276)	4,11,36,U
GC45	255	203	145	—	530	6	—	77 (34.9)	—	10¼ (260)	7½ (181)	11½ (302)	4,11,36,U
GC8V	165	130	85	121	318	8	—	68 (30.8)	—	10¼ (260)	7½ (181)	11½ (283)	4,11,36,G
GC12V	155	—	77	110	292	12	—	90 (40.8)	—	13¾ (333)	7¼ (179)	11½ (289)	7,11,0
GCSTRAP Golf Car Strap Handle when ordered individually. One strap shipped per full pallet of 6-volt and 8-volt golf car batteries.													
<i>For gas engine golf cars:</i>													
426G	560CA	450CCA	55RC	—	—	12	—	26 (11.8)	—	8¾ (222)	6¾ (171)	8 (203)	17,22,G
526G	665CA	540CCA	80RC	—	—	12	—	29.5 (13.4)	—	8¾ (222)	6¾ (171)	8 (203)	17,22,G

All above types have microporous polyethylene envelope separators with glass mat (except 426G).
 426G has microporous, polyethylene envelope separators.
 All batteries manufactured in polypropylene cases.
 All ratings conform to B.C.I. specifications.

FOOTNOTES:

Unless otherwise noted all batteries are: Black Cover/Black Case
4 - Gray Cover/Gray Case
7 - Dark Blue Cover/Dark Blue Case
11 - Low maintenance – Low antimony grids
17 - Includes handle
22 - Flush manifold vented cover
30 - Available dry-add "D" suffix to part number
36 - Peak performance capacity
G - Offset post w/ horizontal hole, stainless steel 5/16" bolt and hex nut
O - Offset post w/ vertical stainless steel 5/16" stud and hex nut
U - Molded-in offset SAE post and vertical 5/16" NEG., 5/16" POS. stainless steel studs & hex nuts

TERMINAL SELECTIONS



www.dekabatteries.com



East Penn Manufacturing Co. Lyon Station, PA 19536-0147 Phone: 610-682-6361 Fax: 610-682-4781 Order Department Hotline: 610-682-4231